

Stronglite Lids

Developed here in Australia, the Stronglite Lids combines industrial strength solutions using polyurethane resins with high grade fibrous mesh materials. The surface is finished with the highest rated Non Slip Rating (R13) coating.

UV stabilised and UV rated Stronglite Lids can be custom made to colour match concrete, bitumen or any colour or logo on request.

The Stronglite Lids won't crack, break or damaged with Class C and Class D rating.

The Stronglite Lids P5 is 20 kilos lighter, the P6, 8 & 9 is 19 kilos lighter and the P7 is 20 kilos lighter, which meets the strict industry OH&S compliance regulations.

The Stronglite Lids will save you time and money, making Stronglite Lids the only choice suitable for your installation.

Class C & D

Concrete eq up to 5,000kg



Available in P5, P6/8/9 & P7

Specifications

- + Australian Standards AS3996
- + Australian Made
- + Polyurethane High Strength Reinforcement with fibre combination
- + UV Stabilised and Rated
- + Highest Rating Anti Slip Surface Classification R13 Table 5 AS4586 2013
- + Nata Tested Class C rating
- + P5 Total Weight 10 kg OHS Compliance
- + P6 Total Weight 11 kg OHS Compliance
- + P7 Total Weight 8 kg OHS Compliance
- + Colour Matching to Any Requirements
- + Snap Lock Fitted for Better Security


Custom Lids

- + Any colour
- + Any design
- + Choose your design



P5 Stronglite Lids

P5 Stronglite Lid




P5 Lids

Stronglite Lids can be made to be lockable

Code	Product Description	Qty	KG
2064/ARTC	P5 "ARTC" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/COMM/BLAC	P5 "Communication" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/COMM/ BLACK	P5 "Communication" Bitumen Coloured Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/ELEC	P5 "Electrical" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/ELEC/BLACK	P5 "Electrical" Bitumen Coloured Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/RAIL	P5 "Rail Sig Comms" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/VICTRACK	P5 "Vic Track" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/V/LINE	P5 "V/line" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/WATER	P5 "Water" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10


Stronglite Lids

P6/8/9 Stronglite Lid



Weight 11 kg

P7 Stronglite Lid



Weight 8 kg

P6/8/9 Lids

Stronglite Lids can be made to be lockable

Code	Product Description	Qty	KG
2066/ARTC	P6/P8/P9 "ARTC" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/COMM	P6/P8/P9 "Communication" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/ELEC	P6/P8/P9 "Electrical" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/RAIL	P6/P8/P9 "Rail Sig Comms" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/VICTRACK	P6/P8/P9 "Vic Track Comms" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/VICTRACK/L	P6/P8/P9 "Vic Track Comms" Stronglite Class C Lockable Lid (651mm x 499mm x 50mm)	40	11
2066/VLINE	P6/P8/P9 "V/line" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/WATER	P6/P8/P9 "Water" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11


P7 Lids

Stronglite Lids can be made to be lockable

Code	Product Description	Qty	KG
2063/ARTC	P7 "ARTC" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2063/COMM	P7 "Communication" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2063/ELEC	P7 "Electrical" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2063/RAIL	P7 "Rail Sig Comms" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2063/VICTRACK	P7 "Vic Track Comms" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2063/VLINE	P7 "V/line" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8

Stronglite Lids & Surround

600mm x 600mm Stronglite Lids – Suits Viscount & RELN 600mm x 600mm Pits



Code	Product Description	Qty
2013/Comms	600mm x 600mm Stronglite Communication Bitumen Coloured Lid (UG3070)	1
2013/Electrical	600mm x 600mm Stronglite Electrical Bitumen Coloured Lid (UG3070)	1

Stronglite Surround– Suits Vic Road 600mm & 750mm Traffic Pits



Code	Product Description	Qty
1992/Surround	600mm x 200mm x 100mm Vic Roads Stronglite Surround	1



Convic Australia Pty Ltd

366 - 368 Settlement Road
Thomastown Vic 3074 Australia

Ph: (03) 9464 1655
Fax: (03) 9464 1661

www.convicaustralia.com.au
sales@convicaustralia.com.au

