

Pits + Lids




- Underground Poly Pits..... Page 36
- Pit Risers/Surronds/Collars & Various Pit Lids Page 37
- P1, P2, P3, & P4 Lids..... Page 38
- P5 Lids Page 39
- P6/P8/P9 Lids..... Page 40
- P7 & Vic Roads Cast Iron & Stronglite Lids..... Page 41
- Convic Stronglite Products Page 42
- Brass Labels, Crossbars & Accessories..... Page 46
- Gaskets, Handles, Lifters & Plugs..... Page 47

Pits + Lids

Underground Poly Pits

Code	Product Description	Qty
2011/450	450mm x 450mm HDPE RELN Pit	1
2011	600mm x 600mm RELN Pit	1
2012	600mm x 600mm BVCI Pit	1
2013/1	600mm x 600mm x 900mm HDPE Convic Pit	1
1995	Detector Poly Pit (250mm x 250mm x 400mm)	20
1980	Electrical Service Pit (435mm Diameter x 620mm)	54
1981	P1 Poly Pit (515mm x 235mm 400mm)	100
1982	P2 Poly Pit (660mm x 285mm x 570mm)	30
1983	P3 Poly Pit (780mm x 345mm x 630mm)	16
1984	P4 Poly Pit (710mm x 400mm x 830mm)	16
1985	P5 Poly Pit (710mm x 455mm x 650mm)	12
1985/ROTO	P5 Roto Poly Pit (710mm x 455mm x 650mm)	12
1986	P5/800 Poly Pit (710mm x 450mm x 830mm)	12
1987	P5 Split Pit (710mm x 455mm x 650mm)	16
1988	P6 Poly Pit (1365mm x 550mm x 670mm)	6
1989	P7 Poly Pit (1020mm x 550mm x 1130mm)	4
1990	P8 Poly Pit (1365mm x 545mm x 895mm)	6
1991	P9 Poly Pit (2040mm x 585mm x 900mm)	2
2014	Pit O3 Earth Stake Pit Complete With Lid	1
1996	Railway Poly Pit UG2150 (1140mm x 550mm)	1
1997	Railway Poly Pit UG2075 (1140mm x 1215mm)	2
1999	Railway Single Signal Base Poly UG2073 (1425mm x 1165mm x 530mm)	1
2000	Railway Double Base Poly UG2074 (2400mm x 1120mm x 700mm)	1
1992	600mm x 1000mm Vic Roads Traffic Poly Pit	8
1992/750	750mm x 1000mm Vic Roads Traffic Poly Pit	8



P5/800 Poly Pit

Railway Poly Pit

Pits + Lids

Pit Risers/Surrounds/Collars

Code	Product Description	Qty
1992/Surround	600mm x 200mm x 100mm Vic Roads Stronglite Surround	1
2020	P4 Pit Riser (710mm x 400mm x 225mm)	24
2021	P5 Pit Riser (710mm x 455mm x 225mm)	36
2021/C	P5 Concrete Pit Riser (710mm x 455mm x 225mm)	5
2022	P6/P8 Pit Riser (1365mm x 550mm x 280mm)	18
2022/C	P6/P8/P9 Concrete Pit Riser (1365mm x 550mm x 280mm)	5
2023	P7 Pit Riser (1020mm x 550mm x 280mm)	18
2067/Collar	Round Rail Cast Iron Surround	1



P5 Pit Riser



Plastic Electrical Service Lid

Various Pit Lids

Code	Product Description	Qty
2028	450mm x 450mm RELN Galvanized Solid Class B Lid	1
2012/Comm	600mm x 600mm BVCI Concrete Communication Lid	1
2012/Elect	600mm x 600mm BVCI Concrete Electrical Lid	1
2013/Comms	600mm x 600mm Stronglite Communication Bitumen Coloured Lid (UG3070)	1
2013/Electrical	600mm x 600mm Stronglite Electrical Bitumen Coloured Lid (UG3070)	1
2067	1050mm x 5mm Galvanized Checkered Plate (For Railway Pit)	1
2067/PL	1050mm Railway Secure Galvanized Pad Lockable Pit Lid	1
2030	Concrete Electrical Service Lid (390mm x 75mm)	1
2030/Composite	Composite Electrical Service Lid (390mm x 75mm)	1
2077	Galvanized Checkered Plate Lid (For Detector Pit)	1
2030/P	Plastic Electrical Service Pit Lid (390mm x 75mm)	1

Pits + Lids

P1 Lids

Code	Product Description	Qty	KG
2034	P1 Cast Iron Class B Lid (473mm x 193mm x 40mm)	10	10
2032	P1 "Communication" Concrete Class A Lid (473mm x 193mm x 40mm)	80	8
2033	P1 "Electrical" Concrete Class A Lid (473mm x 193mm x 40mm)	80	8
2031/NBN	P1 "NBN" Concrete Class A Lid (473mm x 193mm x 40mm)	80	8
2031	P1 "Telstra" Concrete Class A Lid (473mm x 193mm x 40mm)	80	8

P2 Lids

Code	Product Description	Qty	KG
2036	P2 "Communication" Concrete Class A Lid (616mm x 245mm x 46mm)	48	17
2037	P2 "Electrical" Concrete Class A Lid (616mm x 245mm x 46mm)	48	17
2038	P2 Galvanised Class B Lid (615mm x 244mm x 46mm)	10	16
2035/NBN	P2 "NBN" Concrete Class A Lid (616mm x 245mm x 46mm)	48	17
2035/NBN/ELEC	P2 "NBN Electrical" Concrete Class A Lid (616mm x 245mm x 46mm)	48	17
2035	P2 "Telstra" Concrete Class A Lid (616mm x 245mm x 46mm)	48	17



P2 "Telstra" Concrete Lid

P3 Lids

Code	Product Description	Qty	KG
2040	P3 "Communication" Concrete Class A Lid (730mm x 298mm x 50mm)	40	26
2041	P3 "Electrical" Concrete Class A Lid (730mm x 298mm x 50mm)	40	26
2042	P3 Galvanised Class B Lid (729mm x 297mm x 50mm)	10	20
2039/NBN	P3 "NBN" Concrete Class A Lid (730mm x 298mm x 50mm)	40	26
2039	P3 "Telstra" Concrete Class A Lid (730mm x 298mm x 50mm)	40	26

P4 Lids

Code	Product Description	Qty	KG
2044	P4 "Communication" Concrete Class A Lid (651mm x 346mm 50mm)	40	26
2045	P4 "Electrical" Concrete Class A Lid (651mm x 346mm 50mm)	40	26
2046	P4 Galvanised Class B Lid (651mm x 346mm 50mm)	10	23
2046/LOCK	P4 Galvanised Lockable Class B Lid (651mm x 346mm 50mm)	10	23
2043	P4 "Telstra" Concrete Class A Lid (651mm x 346mm 50mm)	40	26

Pits + Lids

P5 Lids

Stronglite Lids can be made to be lockable

Code	Product Description	Qty	KG
2064/ARTC	P5 "ARTC" Stronglite Lid Class C (648mm x 398mm x 50mm)	40	10
2048	P5 "Communication" Concrete Class A Lid (648mm x 398mm x 50mm)	40	30
2064/COMM/BLAC	P5 "Communication" Class C Stronglite Lid (648mm x 398mm x 50mm)	40	10
2064/COMM/BLACK	P5 "Communication" Bitumen Coloured Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2049	P5 "Electrical" Concrete Class A Lid (648mm x 398mm x 50mm)	40	30
2064/ELEC	P5 "Electrical" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/ELEC/BLACK	P5 "Electrical" Bitumen Coloured Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2053	P5 Galvanised Class B Lid (648mm x 398mm x 50mm)	10	35
2064	P5 Galvanised Lockable Class B Lid (648mm x 398mm x 50mm)	10	35
2047/NBN	P5 "NBN" Concrete Class A Lid (648mm x 398mm x 50mm)	40	30
2050	P5 "Rail Sig Comms" Concrete Class A Lid (648mm x 398mm x 50mm)	40	30
2064/RAIL	P5 "Rail Sig Comms" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2047	P5 "Telstra" Composite Class B Lid (648mm x 398mm x 50mm)	40	20
2064/VR	P5 "Vic Roads Comms" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2052A	P5 "Vic Track Comms" Concrete Class A Lid (648mm x 398mm x 50mm)	40	30
2064/VICTRACK	P5 "Vic Track" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/V/LINE	P5 "V/line" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/WATER	P5 "Water" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10



P5 "Communication" Concrete Lid



P5 "Electrical" Stronglite Lid

Pits + Lids

P6/P8/P9 Lids

Stronglite Lids can be made to be lockable

Code	Product Description	Qty	KG
2066/ARTC	P6/P8/P9 "ARTC" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2055	P6/P8/P9 "Communication" Concrete Class A Lid (651mm x 499mm x 50mm)	30	38
2066/COMM	P6/P8/P9 "Communication" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2056	P6/P8/P9 "Electrical" Concrete Class A Lid (651mm x 499mm x 50mm)	30	38
2066/ELEC	P6/P8/P9 "Electrical" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2060	P6/P8/P9 Galvanised Class B Lid (651mm x 499mm x 50mm)	5	34
2066	P6/P8/P9 Galvanised Checkered Plate One Piece Alan Key Type Class B Lid	5	30
2054/NBN	P6/P8/P9 "NBN" Concrete Class A Lid (651mm x 499mm x 50mm) (38KG)	30	38
2057	P6/P8/P9 "Rail Sig Comms" Concrete Class A Lid (651mm x 499mm x 50mm)	30	38
2066/RAIL	P6/P8/P9 "Rail Sig Comms" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2054	P6/P8/P9 "Telstra" Composite Class B Lid (651mm x 499mm x 50mm)	30	30
2059A	P6/P8/P9 "Vic Track Comms" Concrete Class A Lid (651mm x 499mm x 50mm)	30	38
2066/VRC	P6/P8/P9 "Vic Roads Comms" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/VICTRACK	P6/P8/P9 "Vic Track Comms" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/VLINE	P6/P8/P9 "V/line" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/WATER	P6/P8/P9 "Water" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11



P6/P8/P9 "Communication" Concrete Lid



P6/P8/P9 "Communication" Stronglite Lid

Pits + Lids


P7 Lids

Stronglite Lids can be made to be lockable

Code	Product Description	Qty	KG
2063/ARTC	P7 "ARTC" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2062	P7 "Communication" Concrete Class A Lid (467mm x 499mm x 50mm)	40	28
2063/COMM	P7 "Communication" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2063	P7 "Electrical" Concrete Class A Lid (467mm x 499mm x 50mm)	40	28
2063/ELEC	P7 "Electrical" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2061	P7 "Rail Sig Comms" Concrete Class A Lid (467mm x 499mm x 50mm)	40	28
2063/RAIL	P7 "Rail Sig Comms" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2063/VICTRACK	P7 "Vic Track Comms" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2063/VLINE	P7 "V/line" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8



P7 "ARTC" Stronglite Lid



Vic Roads "Electrical" Gatic Lid

Vic Roads Cast Iron & Stronglite Lids

Code	Product Description	Qty	KG
2072	600mm Vic Roads Blank Cast Iron Class B Lid	10	26
2073	600mm Vic Roads Blank Cast Iron Class D Lid	10	35
2072/SL	600mm Vic Roads Blank Stronglite Class C Lid	10	14
2071	600mm Vic Roads "Communication" Cast Iron Class B Lid	10	26
2071/SL	600mm Vic Roads "Communication" Stronglite Class C Lid	10	14
2070	600mm Vic Roads "Electrical" Cast Iron Class B Lid	10	26
2070/SL	600mm Vic Roads "Electrical" Stronglite Class C Lid	10	14
2069	600mm Vic Roads "Traffic Signal" Cast Iron Class B Lid	10	26
2069/SL	600mm Vic Roads "Traffic Signal" Stronglite Class C Lid	10	14

Stronglite Lids

Developed here in Australia, the **Stronglite** Lid combines industrial strength solutions using polyurethane resins with high grade fibrous mesh materials. The surface is finished with the **highest Non Slip Rating (R13) coating**.

UV stabilised and UV rated **Stronglite** Lids can be custom made to colour match concrete, bitumen or any colour or logo on request.

The **Stronglite** Lid won't crack, break or damage with Class C and Class D rating.

In comparison to concrete, the **Stronglite** P5 Lid is 20 kilos lighter, the P6/8/9 is 19 kilos lighter and the P7 is 20 kilos lighter, which exceeds the strict industry OH&S compliance regulations.

The **Stronglite** Lid will save you time and money, making **Stronglite** Lids the only choice suitable for your installation.

Specifications

- + Australian Standards AS3996
- + Australian Made
- + Polyurethane High Strength Reinforcement with fibre combination
- + UV Stabilised and Rated
- + Highest Rating Anti Slip Surface Classification R13 Table 5 AS4586 2013
- + Nata Tested Class C rating
- + P5 Total Weight 10 kg OHS Compliance
- + P6 Total Weight 11 kg OHS Compliance
- + P7 Total Weight 8 kg OHS Compliance
- + Colour Matching to Any Requirements
- + Snap Lock Fitted for Better Security

Exclusive to Convic



Custom Lids


- + Any colour
- + Any design
- + Choose your design



P5 Stronglite Lids

Exclusive to Convic

P5 Stronglite Lid



P5 Lids


Stronglite Lids can be made to be lockable

Code	Product Description	Qty	KG
2064/ARTC	P5 "ARTC" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/COMM/BLAC	P5 "Communication" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/COMM/BLACK	P5 "Communication" Bitumen Coloured Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/ELEC	P5 "Electrical" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/ELEC/BLACK	P5 "Electrical" Bitumen Coloured Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/RAIL	P5 "Rail Sig Comms" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/VICTRACK	P5 "Vic Track" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/V/LINE	P5 "V/line" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10
2064/WATER	P5 "Water" Stronglite Class C Lid (648mm x 398mm x 50mm)	40	10


Stronglite Lids

Exclusive to Convic

P6/8/9 Stronglite Lid



P7 Stronglite Lid



Stronglite Lids can be made to be lockable

P6/8/9 Lids

Code	Product Description	Qty	KG
2066/ARTC	P6/P8/P9 "ARTC" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/COMM	P6/P8/P9 "Communication" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/ELEC	P6/P8/P9 "Electrical" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/RAIL	P6/P8/P9 "Rail Sig Comms" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/VICTRACK	P6/P8/P9 "Vic Track Comms" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/VICTRACK/L	P6/P8/P9 "Vic Track Comms" Stronglite Class C Lockable Lid (651mm x 499mm x 50mm)	40	11
2066/VLINE	P6/P8/P9 "V/line" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11
2066/WATER	P6/P8/P9 "Water" Stronglite Class C Lid (651mm x 499mm x 50mm)	40	11

P7 Lids

Stronglite Lids can be made to be lockable

Code	Product Description	Qty	KG
2063/ARTC	P7 "ARTC" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2063/COMM	P7 "Communication" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2063/ELEC	P7 "Electrical" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2063/RAIL	P7 "Rail Sig Comms" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2063/VICTRACK	P7 "Vic Track Comms" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8
2063/VLINE	P7 "V/line" Stronglite Class C Lid (467mm x 499mm x 50mm)	40	8

Stronglite Lids & Surround

Exclusive to Convic

600mm x 600mm Stronglite Lids – Suits Viscount & RELN 600mm x 600mm Pits



Code	Product Description	Qty
2013/Comms	600mm x 600mm Stronglite Communication Bitumen Coloured Lid (UG3070)	1
2013/Electrical	600mm x 600mm Stronglite Electrical Bitumen Coloured Lid (UG3070)	1

Stronglite Surround– Suits Vic Road 600mm & 750mm Traffic Pits



Code	Product Description	Qty
1992/Surround	600mm x 200mm x 100mm Vic Roads Stronglite Surround	1

Pits + Lids

Brass Labels

Labels can be custom made to order


Code	Product Description	Qty
2066D/E	"Electrolysis" Brass Label (30mm x 150mm)	1
2066D/HV	"High Voltage" Brass Label (30mm x 150mm)	1
2066D/RSC	"Rail Sign Comms" Brass Label (30mm x 150mm)	1
2066D/VT	"Victrack Comms" Brass Label (30mm x 150mm)	1

Accessories

Code	Product Description	Qty
BB/22	22mm x 50mm Stainless Steel Barri Bolt	1
BB/22K	22mm Barri Bolt Head Key	1
BB/28	28mm x 50mm Stainless Steel Barri Bolt	1
BB/28K	28mm Barri Bolt Head Key (Stronglite)	1
2580	283mm Plastic Coated Step Irons	1
2581	375mm Plastic Coated Step Irons	1
2097	Crimping Tool For Crimp Links	1
2094	Manhole Lid Seal Breaker	1
2095	Metal Clips For Plastic Electrical Service Lids	1
2096	Stainless Steel Crimps	1

Crossbars

Code	Product Description	Qty
2085	P6/P8/P9 Metal Crossbar	1
2092	P7 Crossbar	1



"Vic Track" Brass Label



P6/P8/P9 Metal Crossbar

Pits + Lids

Pit Gaskets

Code	Product Description	Qty
2080	P2 Pit Gasket (607mm x 231mm)	50
2081	P3 Pit Gasket (719mm x 287mm)	50
2082	P4 Pit Gasket (640mm x 335mm)	50
2083	P5 Pit Gasket (640mm x 388mm)	50
2084	P6/P8/P9 Pit Gasket (640mm x 488mm)	50

Handles, Lifters & Vic Track Plugs

Code	Product Description	Qty
2089	D Handle Gatic Lid Lifter	5
KC-50	KC-50 Black Key Hole Plug	50
KC-50KEY	KC-50 Stainless Key	50
2090	Long Handle Gatic Lid Lifter	5
SK	Stronglite Key	5
SL	Stronglite Lock	5
2088	Telstra Manhole Pit Key Lifter	5



KC-50 Plug



P5 Pit Gasket